

Patentanwälte European Patent Attorneys European Trade Mark Attorneys

Dr. Frieder Klunker, Dipl.-Ing. Dr. Gert Schmitt-Nilson, Dipl.-Ing. Peter Hirsch, Dipl.-Ing. Thomas Amann, Dipl.-Phys. Jochen Höhfeld, Dipl.-Ing.

VAT Reg. No. DE 12 999 1026

KSNH Patentanwälte Winzererstraße 106 D-80797 München

An das Europäische Patentamt Erhardtstraße 27

D-80298 München

Ihr Zeichen / Your Ref

Unser Zeichen / Our Ref

K 61 607/8 TAgh

Tag / Date

02/08/05

PCT Patent Application PCT/EP2004/013529 Otis Elevator Company

This is in response to the First Written Opinion dated March 21, 2005:

It is requested to conduct International Preliminary Examination with respect to the present application.

In response to the First Written Opinion, an amended set of claims 1 to 13 is filed. Original claims 14 to 19 have been deleted. The amendments in the claims mainly relate to claims 1 and 5. In claim 1, the hand-written passage has been added in order to limit the claim over the prior as uncovered by the International Search. The restriction is supported by the embodiment of Fig. 3 to 5 and relates to the mounting of the restraining device to the step. Particularly, as can be seen in Fig. 3 the restraining device is attached to the support arm, which is part of the step. The disclosure for the second alternative can be found, for example, in the embodiments of Fig. 6 to 12. Particularly, Fig. 7 clearly discloses the respective feature.

The amendment in claim 5 merely relates to correcting a clerical error. It is clear that it should read "... according to any of claims 1 to 3 ..". Moreover,

Seite / Page 2/3 Datum / Date 03/08/2005 Akte / File K 61 607/8 k/s/n/h

there is an original disclosure in the third full paragraph on page 4 for such correction/amendment.

The people conveyor as claimed now differs from the prior art in that the restraining device is attached so as to move together with the step. Particularly, the restraining device is either directly attached to the step or is attached to the step axle which is moving together with the step. This difference solves the objective problem of allowing easy and low cost installation of a restraining device in an elevator system and particularly the retro fitting of existing people conveyor installations with a restraining device. In contrast to the solutions of the prior art with the restraining devices attached to the truss or the guide rail, the invention goes a completely different way by attaching a plurality of restricting devices to the steps or connecting axles which - at first glance - appears to be very expensive in view of cost and time. However, this solution is not requiring a substantial re-design of the complete installation in order to allow for the attachment of the restraining device to the guide rails, etc. but merely requires to attach the individual restraining devices to the steps or connecting axles which can be done relatively easy during overhaul of existing installations. Moreover, each individual restraining device can be by far less complex so that the plurality of restraining devices can be relatively cheep. Moreover, the restraining devices which are to be attached to the steps or connecting axles will typically fit to a plurality of different types of people conveyors whereas the restraining devices of the prior art have to be judicially adapted to each individual type of people conveyor.

As there is no teaching for the skilled person to avoid such a solution and, moreover, in view of the fact that the prior art teaches a different concept for restraining devices, e.g. a single one attached to the truss or guide rails, there was no motivation for the skilled person to develop the existing technology towards the invention.

Seite / Page 3/3 Datum / Date 03/08/2005 Akte / File K 61 607/8 k/s/n/h

10/579**005** (AP20Rec'd PCT/PTO 11 MAY 2006

Applicant does not intend to file amended description pages in the course of the International phase of present application for economical reasons. Instead, the applicant prefers to do so in the national/regional phases only, were required.

It is requested to issue the International Preliminary Examination Report informing the applicant of the allowability of the present claims. In case the Examiner has attached do so, it is requested to issue a further office action or to contact the undersigned by phone.

Thomas Amann

Enclosures

Amended claims 1 to 13,

Demand

K 61 607/8

CLAIMS

435

440

1. People conveyor (2) including an endless conveyor band (4) extending through an inclined portion (6), a first and a second turnaround portions (8) and a return portion (5) of an endless path and comprising a plurality of steps (10) connected to and driven by a step chain (12), the steps (10) comprising a step roller (18), the people conveyor (2) further including a step roller track (20) for guiding the step roller (18), the step roller track (20) extends along the path of the conveyor band (4) and has an inner and an outer rails (24, 22) for supporting the step roller (18), and a device (20) for restraining the step roller (18) against one of the inner and outer rails (24, 22), the restraining device (30) is mounted to the step (10) and the according to a council, ask (10) which connects one chain link (64) on one side of the conveyor land (4) with one chain link (64) on the step council (30) according to claim 1, wherein such restraining device

445

People conveyor (2) according to claim 1, wherein such restraining device (30) comprises an elastic biasing member (40) for elastically biasing the step roller (18) against one of the inner and outer rails (24, 22).

450

455

460

3. People conveyor (2) according to claim 1 or 2, wherein the restraining device (30) is adapted for allowing a gradual transition of the step roller (18) from one of the inner and outer rails (24, 22) to the other one from inner and outer rails (24, 22) in any of the first and second turnaround portions (8).

4. People conveyor (2) according to any of claims 1 to 3, wherein the restraining device (30) is arranged between the step (10) and the drive chain (12).

move to gether with the step (10).

- 5. People conveyor (2) according to any of claim 3, wherein one drive chain (12) is arranged at each lateral edge of the conveyor band (4), wherein each step chain (12) comprises a plurality of chain links (64) and wherein a connecting axle (70) connects one chain link (64) on one side of the conveyor band (4) with one chain link (64) on the other side of the conveyor band (4), and wherein the restraining device (30) is arranged between the step (10) and the connecting axle (70).
 - 6. People conveyor (2) according to claim 5, wherein the restraining device (30) comprises a torsion spring (76) attached to the connecting axle (70) and supported thereto with one of the free ends (78) of such spring (76) and having the second free end (80) thereof arranged so as to engage the step (10).
 - 7. People conveyor (2) according to any of claims 1 to 3, wherein the restraining device (30) is arranged between the step (10) and the step roller track (20).
 - 8. People conveyor (2) according to claim 7, wherein the restraining device (30) comprises a supplementary roller (50) and a biasing means (40) for biasing the supplementary roller (50) against one rail (22, 24) of the step roller track (29).
 - 9. People conveyor (2) according to claim 8, wherein the step roller (18) is attached to the step (10) by a connecting arm (16) and wherein the supplementary roller (50) is supported by the connecting arm (16).
 - 10. People conveyor (2) according to claim 8 or 9, wherein the biasing means (40) biases the supplementary roller (50) against the outer rail (22).

490

475

480

485

11. People conveyor (2) according to any of claims 8 to 10, wherein the biasing means is a linear spring having a first leg (42) and a second leg (44) being bent with respect to each other by a predetermined angle, further comprising a supporting block (32) at the support arm (16), the supporting block (32) comprising a first and second recesses (34, 36) each portion of the first and second legs of the linear spring being respectively fitted to the first and second recesses (34, 36) to thereby limit deformation of the first and second legs (42, 44) of the linear spring to a predetermined range.

505

500

12. People conveyor (2) according to claim 11, further comprising a cover (38) mounted to the supporting block (32) to prevent the first and second legs (42, 44) of the linear spring from being separated from the first and second recesses (34, 36) of the supporting block (32).

510

13. People conveyor (2) according to claim 11 or 12, further comprising a member (52) for supporting the supplementary roller (50), the member (52) having a recess (53) in which a portion adjacent to the junction between the first and second legs (42, 44) of the linear spring is fitted, and a cover (54) which covers the recess (53) of the member (52).

515

14. Device (30) for restraining rise of a step roller (18) of a people conveyor (2), the people conveyor (2) including steps (10) circulating a closed loop, a track (20) having inner and outer rails (22, 24) and providing the circulating loop of the steps (10), and a step roller (18) connected to each step (10) by means of a connecting member (16) and rolling along the inner rail (24) of the track (20), the device (30) comprising:

520

a supplementary roller (50) disposed between the outer rail (22) and the inner rail (24) of the track (20),

525

an elastic member (40) for supporting the supplementary roller (50); and

530

a supporting block (32) mounted to the connecting member (16) and fixing the elastic member (40) thereto.

- 15. Device (30) of claim 14, wherein the elastic member (40) biases the supplementary roller (50) toward the outer rail (24) of the track (20) to roll thereon.
- 16. The device (30) of claim 14 or 15, wherein the elastic member (40) is a linear spring having a first leg (42) and a second leg (44), the first leg (42) and

the second leg (44) being bent with respect to each other by a predetermined angle; and

540

the supporting block (32)has first and second recesses (34, 36), each portion of the first and second legs (42, 44) of the elastic member (40) being respectively fitted to the first and second recesses (34, 36) to thereby limit deformation of the first and second legs (42, 44) of the elastic member (40) to a predetermined range.

545

17. Device (30) of claim 16, wherein the first leg (42) of the elastic member (40) has a bent portion (42a) at its tip, the tip being pivotably inserted into the supporting block (32); and

550

the second leg (44) of the elastic member (40) has a bent portion (44a, 44b) at its tip, the tip being configured to contact a bottom surface of the supporting block (32).

555

18. Device (30) of claim 16 or 17, wherein a cover (38) is mounted to the supporting block (32) to prevent the first and second legs (42, 44) of the elastic member (40) from being separated from the first and second recesses (34, 36) of the supporting block (32).

19. Device (30) of any of claims 16 to 18, wherein the device (30) further comprises a member (52) for supporting the supplementary roller (50), the member (52) having a recess (53) in which a portion adjacent to the junction between the first and second legs (42, 44) of the elastic member (40) is fit—ted, and a cover (54) which covers the recess (53) of the member (52).

The demand must be filed directly with the competent International Preliminary Examining Authority or, if two or more Authorities are competent with the one chosen by the applicant. The full name or two-letter code of that Authority may be indicated by the applicant on the line below:

IPEN EPA

PCT

CHAPTER II

DEMAND

under Article 31 of the Patent Cooperation Treaty:

The undersigned requests that the international application specified below be the subject of international preliminary examination according to the Patent Cooperation Treaty.

For	r International Preliminary	Examining Authorit	y use only
Identification of IPEA		Date of receipt of DEMAND	
Box No. I IDENTIFICATION OF THE INTERNATIONAL APPLICATION		APPLICATION	Applicant's or agent's file reference K 61 607/8 - /gh
International application No. PCT/EP2004/013529	International filing date (day/month/year) 29 NOV 2004 (29.11.2004)		(Earliest) Priority date (day/monthlyear) 20 NOV 2003 (29.11.2003)
Title of invention Device for restraining the rise of	of a step roller of a p	eople conveyo	r
Box No. II APPLICANT(S)			
Name and address: (Family name followed by given name: for a legal entity, full official designation The address must include postal code and name of country.) Otis Elevator Company Ten Farm Springs Road		full official designation.	Telephone No.
			Facsimile No.
Farming, Connecticut 06032	Farming, Connecticut 06032-2568		Teleprinter No.
U.S.A.			Applicant's registration No. with the Office
State (that is, country) of nationality: US		State (that is, coun	of residence:
Name and address: (Family name followed by SCHMIDT, Rainer Stettiner Weg 5 31689 Lindhorst GERMANY	given ṇame: for a legal entity, fi	ul official designation. Ti	he address must include postal code and name of country.)
State (that is, country) of nationality:		State (that is, could DE	ntry) of residence:
Name and address: (Family name followed by STUFFEL, Andreas Berliner Straße 3 31675 Bückeburg GERMANY	y given name; for a legal entity, j	full official designation. I	The address must include postal code and name of country.)
State (that is, country) of nationality: DE		State (that is, coun	try of residence:
Further applicants are indicated of	on a continuation sheet.		

Sheet No. .2.

International application No. PCT/EP2004/013529

Continuation of Box No. II APPLICANT(S)				
f none of the following sub-boxes is used, this sheet should not be included in the demand.				
lame and address: (Family name followed by given name: jor KIM, Jeong Rak 290-43 Sungui 2-dong Nam-gu, Incheon 402-817 Republic of Korea	a legal entity, full official designation. The address must include postal code and name of country.)			
State (that is, country) of nationality:	State (that is, country) of residence: KR			
Name and address: (Family name followed by given name; for	a legal entity, full official designation. The address must include postal code and name of country.)			
· ·				
	State (that is, country) of residence:			
State (that is, country) of nationality:	State (maris, country) of testacities.			
Name and address: (Family name followed by given name: for	a legal entity, full official designation. The address must include postal code and name of country.)			
State (that is, country) of nationality:	State (that is, country) of residence:			
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)				
State (that is, country) of nationality:	State (that is, country) of residence:			
Further applicants are indicated on another co	ntinuation sheet.			

Sheet No. . 3.

International application No. PCT/EP2004/013529

Box No. III AGENT OR COMMON REPRESENTATIVE: OR ADDRESS FOR CORRESPONDENCE				
The following person is X agent common representative				
and X has been appointed earlier and represents the applicant(s) also for international preliminary examination.				
is hereby appointed and any earlier appointment of (an) agent(s)/common represe	entative is hereby revoked.			
is hereby appointed, specifically for the procedure before the International Preliminary Examining Authority, in addition to the agent(s)/common representative appointed earlier.				
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)	Telephone No.			
	1 10.00.0077			
Klunker.Schmitt-Nilson.Hirsch	Facsimile No.			
Patentanwaelte	+49.89.307741-41			
Winzererstrasse 106	Teleprinter No.			
D-80797 Munich	A No with the Office			
Germany	Agent's registration No. with the Office			
Address for correspondence: Mark this check-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent. Box No. IV BASIS FOR INTERNATIONAL PRELIMINARY EXAMINATION				
Statement concerning amendments:*				
1. The applicant wishes the international preliminary examination to start on the basis	of:			
the international application as originally filed				
the description X as originally filed				
as amended under Article 34				
the claims as originally filed				
as amended under Article 19 (together with any accompany	ing statement)			
as amended under Article 34				
the drawings as originally filed				
as amended under Article 34				
2. The applicant wishes any amendment to the claims under Article 19 to be considered as reversed.				
3. The applicant wishes the start of the international preliminary examination applicable time limit under Rule 69.1(d).	to be postponed until the expiration of the			
4. The applicable time limit under Rule 69.1(d). 4. The applicant expressly wishes the international preliminary examination to start earlier than at the expiration of the applicable time limit under Rule 54his.1(a).				
• Where no check-box is marked, international preliminary examination will start on the basis of the international application as originally filed or, where a copy of amendments to the claims under Article 19 and/or amendments of the international application under Article 34 are received by the International Preliminary Examining Authority before it has begun to draw up a written opinion or the international preliminary examination report, as so amended.				
Language for the purposes of international preliminary examination: English				
which is the language in which the international application was filed.				
which is the language of a translation furnished for the purposes of international search.				
which is the language of publication of the international application.				
which is the language of the translation (to be) furnished for the purposes of international preliminary examination.				
Box No. V ELECTION OF STATES				
The state of the s				
The filing of this demand constitutes the election of all Contracting States which are designated and are bound by Chapter II of the PCT.				

Sheet No. . 4

International application No. PCT/EP2004/013529

Box No. VI CHECK LIST				
The demand is accompanied by the following elements, in the language referred to in Box No. IV, for the purposes of international preliminary examination:		For International Preliminary Examining Authority use only received not received		
1. translation of international application :	sheets			
2. amendments under Article 34	3 sheets			
copy (or, where required, translation) of amendments under Article 19	sheets			
4. copy (or, where required, translation) of statement under Article 19	sheets			
5. letter :	3 sheets			
6. other (specify)	sheets			
The demand is also accompanied by the item(s) marked below:				
1. 🔀 fee calculation sheet		aining lack of signature		
2. original separate power of attorney	6. sequence listin	g in computer readable form		
3. original general power of attorney	7. tables in comp sequence listin	uter readable form related to a		
4. copy of general power of attorney; reference number, if any:	8. X other (specify)	cheque		
Thomas Amann Patent Attorney Munich, August 3, 2005		·		
For International Preliminal	ry Examining Authority u	se only		
Date of actual receipt of DEMAND:				
2. Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b):				
3. The date of receipt of the demand is AFTER the expiration of 19 months from the priority date and item 4 or 5, below, does not apply.	expiration	of receipt of the demand is AFTER the of the time limit under Rule 54bis.1(a) and 8, below, does not apply.		
The applicant has been informed accordingly. The date of receipt of the demand is WITHIN the time limit of 19 months from the priority date as extended	limit under Rule 80.5	of receipt of the demand is WITHIN the time er Rule 54bis.1(a) as extended by virtue of i. the date of receipt of the demand is after the		
by virtue of Rule 80.5. Although the date of receipt of the demand is after the expiration of 19 months from the priority date, the delay in arrival is EXCUSED pursuant to Rule 82.	expiration	of the date of receipt of the defined is after the n of the time limit under Rule 54bis. 1(a), the arrival is EXCUSED pursuant to Rule 32.		
For International Bureau use only				
Demand received from IPEA on:				

CHAPTER II

PCT

FEE CALCULATION SHEET

Annex to the Demand

	For International Preliminary Examining Authority use only			
International application No. PCT/EP2004/013529	,,			
Applicant's or agent's file reference K 61 607/8 - /gh	Date stamp of the IPEA			
Applicant Otis Elevator Company				
CALCULATION OF PRESCRIBED FEES				
I. Preliminary examination fee	EUR 1.530,00 P			
2. Handling fee (Applicants from certain States are entitled to a reduction of 75% of the handling fee. Where the applicant is (or all applicants are) so entitled, the amount to be entered at H is 25% of the handling fee.)	EUR 129,00 H			
3. Total of prescribed fees Add the amounts entered at P and H and enter total in the TOTAL box	EUR 1.659,00			
MODE OF PAYMENT				
authorization to charge deposit cash account with the IPEA (see below) Cheque revenue stamps postal money order coupons bank draft other (specify):				
AUTHORIZATION TO CHARGE (OR CREDIT) DEPOSIT (This mode of payment may not be available at all IPEAs)	IPEA/ EPA			
Authorization to charge the total fees indicated above.	Deposit Account No.: 2800.0439			
(This check-hox may be marked only if the conditions for deposit accounts of the IPEA so permit) Authorization to charge any deficiency or credit any overpayment in the total fees indicated above.	Date: August 3, 2005 Name: Thomas Amann Signature:			
1				